

Elevated/Custom Bleachers

Athletic Facility Products and Custom Fabrications

ELEVATED



Marshfield High School

Capacity: 1,300

(shown with optional front skirt system, colored risers, colored front railings and press box)



Franklin High School
Capacity: 1.000



Random Lake High School

Capacity: 1,000

(shown with optional front skirt system and colored risers



NON-ELEVATED

UW-Platteville Pioneer Stadium

Capacity: 1,200 (shown with optional colored risers)





New London High School Capacity: 500



Prairie High School Soccer

FEATURES


- International Building Code (IBC) Compliant Designs
- American Disabilities Act (ADA) Accessibility and Integral Seating
- ADA-compliant ramp systems
- All Lightweight Aluminum Construction
- High-Quality, High-Tensile Aluminum Alloys
- Corrosion-Resistant
- Maintenance-Free
- Five-Year Warranty

CONFIGURATIONS


- Multiple Row Configurations
- Custom Footprint Based on Site Conditions
- Multiple Front Walkway Heights for Elevated Units
- Various Lengths and Capacities Available
- Wrap-Around Designs for Baseball/Softball Facilities

Non-elevated wrap-around design









Welded one-piece tubular frame construction provides for minimal cross bracing. The result makes the underside of the bleacher easier to clean and maintain.







Take a look at the JWI difference:





OPTIONS

- Colored Risers team or facility color coordination
- Colored Aisle Railings
- Colored Guardrails
- Front Skirt System
- Seat Engraving for fundraising, recognition








Press Boxes - see JWI Press Box Sales Sheet for more information







20-1M